

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet W2200A-X Black Print Cartridge

Registration number -

Synonyms None.

Issue date 24-Jan-2023

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a toner preparation that is used in HP Color LaserJet Pro 4201, HP Color LaserJet

Pro 4202, HP Color LaserJet Pro 4203, HP Color LaserJet Pro MFP 4301, HP Color LaserJet Pro

MFP 4302, HP Color LaserJet Pro MFP 4303 series printers.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

 (Toll-free within the US)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Email:
 sustainability@hp.com

 1.4 Emergency telephone
 +44 20 35147487

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Carbon Black, Styrene acrylate copolymer, Wax

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Supplemental label information None

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<80	CBI	-	-	
		-			
Classification: -					
Wax	<15	CBI	-	-	
		-			
Classification: -					
Carbon Black	<10	1333-86-4	01-2119384822-32-XXXX	-	
		215-609-9			
Classification: -					

SECTION 4: First aid measures

Not available. **General information**

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Not available

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

Not available.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Avoid contact with skin and eyes.

For emergency responders Not available.

6.2. Environmental precautions Keep out of waterways

6.3. Methods and material for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid breathing dust or vapor. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation.

Material name: W2200A-X SDS GREAT BRITAIN

15951 Version #: 01 Issue date: 24-Jan-2023

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components **Type** Value Carbon black (CAS **STEL** 7 mg/m3 1333-86-4) **TWA** 3.5 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

General population

Components	Value	Assessment factor Notes	
Carbon Black (CAS 1333-86-4)			
Long-term, Local, Inhalation	1.75 mg/m3	2	
Long-term, Systemic, Inhalation	0.06 mg/m3	5	
<u>Workers</u>			
Components	Value	Assessment factor Notes	
Carbon Black (CAS 1333-86-4)			
Long-term, Local, Inhalation 2 mg/m3		1	
Long-term, Systemic, Inhalation	1 mg/m3	1	

Predicted no effect concentrations (PNECs)

Components Value Assessment factor Notes

Carbon Black (CAS 1333-86-4)

Freshwater 5 mg/l Marine water 5 mg/l

Belgium: TWA 3 mg/m3 **Exposure guidelines**

Czech Republic: TWA: 2 mg/m3 Denmark: TWA 3.5 mg/m3

Finland: TWA: 3.5 mg/m3, STEL: 7 mg/m3

France: TWA 3.5 mg/m3

Greece: TWA: 3.5 mg/m3; STEL: 7 mg/m3

Ireland: TWA: 3 mg/m3 inhalable fraction, STEL: 15 mg/m3 inhalable fraction

Poland: TWA: 3.5 mg/m3 inhalable fraction

Portugal: TWA 3 mg/m3

Slovakia: TWA: 2 mg/m3 respirable fraction, 5% or less fibrogenic component; TWA: 10 mg/m3 respirable fraction, greater than 5% fibrogenic component; TWA: 10 mg/m3 total aerosol

Spain: TWA 3.5 mg/m3 Sweden: TLV 3 mg/m3

UK: TWA: 3.5 mg/m3 inhalable dust STEL 7 mg/m3 respirable dust Norway: TWA: 3.5 mg/m3 respirable dust STEL: 7 mg/m3 respirable dust

8.2. Exposure controls

Appropriate engineering None established.

controls

Individual protection measures, such as personal protective equipment

No personal respiratory protective equipment required under normal conditions of use. **General information**

Eye/face protection Not available.

Skin protection

- Hand protection Not available. Not available. Respiratory protection Not available. Thermal hazards Not available. Not available. Hygiene measures Not available. **Environmental exposure**

controls

Material name: W2200A-X SDS GREAT BRITAIN

15951 Version #: 01 Issue date: 24-Jan-2023

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not flammable

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

>392 °F (>200 °C)

Viscosity

Not applicable

Explosive properties

Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile Negligible

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

VOC Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

None.

10.4. Conditions to avoid None.

10.5. Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

InhalationNot available.Skin contactNot available.Eye contactNot available.IngestionNot available.SymptomsNot available.

11.1. Information on toxicological effects

Carbon Black (CAS 1333-86-4)

Acute Oral

Components

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation

Non-irritant Serious eve damage/eve

irritation

Transient slight conjunctival irritation only

Respiratory sensitization

Non - Sensitizing

Species

Skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Test Results

Reproductive toxicity

Specific target organ toxicity -

single exposure

Not available. Not available.

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard

Mixture versus substance

information

Not available. Not available.

Other information

No information available.

SECTION 12: Ecological information

LL50: >100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

Product Species Test Results

W2200A-X

Aquatic

Algae	ErL50	Algae	> 100 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 100 mg/l, 48 Hours
Fish	LL50	Fish	> 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential

Not available.

Partition coefficient

Not available.

n-octanol/water (log Kow)

12.6. Other adverse effects

Not available.

Bioconcentration factor (BCF)

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB

Not a PBT or vPvB substance or mixture.

assessment

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available Not available. EU waste code

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

nsport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available.

Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR)

Tunnel restriction code
Packing group

Not available.
Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information

Training information

Disclaimer

1. Product and Company Identification: Alternate Trade Names

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: W2200A-X SDS GREAT BRITAIN

15951 Version #: 01 Issue date: 24-Jan-2023

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds