

K 2 Universal Edition Home

The K 2 Universal Edition Home pressure washer is designed for occasional use and reliably removes light dirt around the home.











1 Integrated cable slot

Power cable can be stowed away neatly and in a space-saving manner.

3 Detergent use

- Suction hose for use of detergents.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

2 Convenient accessory storage

■ The high-pressure hose, spray lance and trigger gun can be easily stowed away by attaching them to the device.

4 Quick Connect System

The high-pressure hose can be connected/disconnected to/from the device and trigger gun simply and quickly.

TECHNICAL DATA AND EQUIPMENT





K 2 Universal Edition Home

- Light, compact device
- Convenient storage options for cable and accessories
- Quick Connect System

Technical data		
Order no.		1.673-006.0
EAN code		4054278630441
Current type	V / Hz	220 - 240 / 50 - 60
Pressure	bar / MPa	110 / 11
Flow rate	I/h	max. 360
Inlet temperature	°C	max. 40
Area performance	m²/h	20
Connected load	kW	1.4
Weight without accessories	kg	3.79
Dimensions (L × W × H)	mm	182 × 280 × 390

Equipment		
High-pressure spray gun		G 120 Q
Vario Power Jet		-
Dirt Blaster		I
High-pressure hose	m	3
Integrated water filter		1
A3/4" garden hose connector adapter		I
Home Kit		T 1 surface cleaner, Patio & Deck detergent, 0.5 l

■ Included in the scope of supply.





		Order no.			Price	Description
Spray lances						
DB 120 dirt blaster for K 2-K 3	1	2.642-727.0				Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.
TLA 4 telescopic spray lance	2	2.644-190.0				Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.
Façade & glass cleaning kit	3	2.644-249.0				Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.
Splash guard	4	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.
Angled spray lance	5	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.
1-step lance extension	6	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.
VP 120 vario power jet for K 2-K 3	8	2.642-724.0				Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.
Telescopic spray lance	9	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg
Surface cleaners						
T 5 T-Racer surface cleaner	10	2.644-084.0				Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.
PS 30 power scrubber surface cleaner	11	2.644-123.0				The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.
PS 30 Plus power scrubber surface cleaner	12	2.644-212.0				The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.
Brushes			_	,		
WB 150 power brush	13	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.
WB 120 rotating wash brush	14	2.644-060.0				Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.
WB 120 rotating wash brush car & bike	15	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.

[■] Included in the scope of supply.

Available accessories.































					plaziert.	_
					2.Object	_
					page6357516፵000፰0_ std_2_272x272px.jpg wurde anstatt	
		Order no.		Price	Description	
WB 60 soft surface wash brush	16	2.643-233.0			Soft flat brush for cleaning larger areas such as car, caravan,	t
					boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	
Wheel washing brush	17	2.643-234.0			Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	c 🗆
Wash brush	18	6.903-276.0			Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area.	
Trigger guns					Suitable for all Kärcher K 2 to K 7 pressure washers.	H
G 180 Q Quick Connect trigger gun	19	2.642-889.0		1	The new G 180 Q spray gun with Quick Connect is 13 cm	
2 100 6 doicy connect migger Roll	13	2.572 005.0			longer and is now even more convenient to use and more	
					ergonomic when cleaning with Kärcher pressure washers.	
High-pressure replacement hose: W	ith an	ti-twist system and Quid	k Connect system			
H 10 Q Flex PremiumFlex anti twist	20	2.643-585.0			Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	
High-pressure replacement hose: sy	vstem	from 2009 with Ouick Co	onnect system		the K 4 to K 7 langes.	
H 9 Q high-pressure hose Quick	21	ı i		I	9 m high-pressure replacement hose for K 2 to K 7 pressure	
Connect					washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	
High-Pressure replacement hose ki	t syste	em from 1992	,			
Extension hose adapter kit	22	2.643-037.0			Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Syst	em for	r devices with Quick Con	nect system			
XH 6 Q extension hose Quick Connect	23	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	S
Pipe cleaning						
PC 20 roof gutter and pipe cleaning kit	24	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	25	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	26	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet						
FJ 6 foam jet	27	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	28	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	29	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
						-

[■] Included in the scope of supply.

□ Available accessories.







		Order no.			Price	Description	
Miscellaneous							
Sand and wet-blasting kit	30	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Vario joint	31	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	32	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	33	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

[■] Included in the scope of supply.

Available accessories.













3.Object page6750832645258_ std_1_272x2720x ipg wurde anstatt PAGE6750832645258_ std_1_272x272px.JPG plaziert.

				plazier t.	
				4.Object page675083pri-	
				mo flex hose	.
				std 4 272x272px.jpg	.
				wurde anstatt PAGE-	.
					.
		Order no.	Pric	e Description	
Hose storage and hose trolley		•			
Premium Hose Reel HR 7.315 Kit	1	2.645-165.0		Watering station with detachable hose reel, storage option	
5/8"				for nozzles and sprinklers, large storage box and fixing	
				option for spray lances. Fully equipped.	\dashv
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0		Fully assembled hose trolley with height-adjustable handle,	
				angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	Ш
Hoses				Sophisticated folding foretion for space saving storage.	
Hose set for pressure washers	3	2.645-156.0		Hose set for high-pressure cleaning and garden watering.	
P. 222.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2				With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, univer-	
				sal hose connector and universal connector with Aqua Stop.	\perp
Water supply hose set	4	2.645-258.0		Hose set for water supply (pressure washer, garden water-	.
				ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps with-	
				out thread.	.
PrimoFlex* hose 1/2" - 20 m	5	2.645-138.0		The robust PrimoFlex® (1/2") garden hose is a 20 m long,	T
				temperature-resistant (from -20 to 65°C) and physiologically	ام
				safe water hose with pressure-proof coating. Bursting pres-	- 1
D : 51 61 0/41 05		0.545.440.0		sure: 24 bar.	\dashv
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0		PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no sub-	.
				stances that are harmful to health. Bursting pressure: 24	
				bar. High temperature resistance from -20 to 65 °C.	.
Hose Performance Plus 1/2" -20m	7	2.645-318.0			
Hose Performance Plus 3/4" -25m	8	2.645-322.0			
Performance Premium hose, 1/2"	9	2.645-324.0			пΙ
-20 m					_
Hose connection systems	۱	10545 4005			
Universal hose coupling Plus	10	2.645-193.0		Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with	11	2.645-194.0		Universal hose coupling plus with Aqua Stop and soft plastic	\dashv
Aqua Stop	11	2.545 154.0		recessed grips for comfortable handling. Compatible with all	
· ·				click systems.	

[■] Included in the scope of supply.

Available accessories.