


Part no.:
36684

3m USB 2.0 Type A to B Cable, Anthra Line, Grey

USB Type A Male to B Male



| DESCRIPTION

- Professional choice USB 2.0 Type A to B, grey, cable for commercial and high performance AV and IT installations
- Supports data transfer speeds up to 480Mbps
- Robust PVC housing, nickel connectors and gold plated contacts
- Double shielded cable with grey finish, corrosion resistant tinned copper conductors
- 10 year warranty

The Anthra Line USB 2.0 Type A to B, grey, cables from Lindy's Cable Lines concept are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line USB 2.0 cables are premium connections that feature double shielded construction with copper conductors for performance and corrosion resistance. High quality gold plated contacts and nickel plated connectors maintain optimal signal integrity and maximum reliability.

Data transfer speeds up to 480Mbps are supported for the quick and effortless transfer of large data volumes.

This product features a grey finish effect on the cable.

Anthra Line USB 2.0 Type A to B cables are available in the following lengths: 0.2m, 0.5m, 1m, 2m, 3m, and 5m.

Connectors

- Connector A: USB 2.0 Type A Male
- Connector B: USB 2.0 Type B Male
- Housing Material: PVC
- Shielding in head shell: -
- Connector Plating: Nickel
- Pin Construction: Brass
- Pin Plating: Gold
- Dimensions (approx.) WxDxH:
 - A: 15.5x35x7.8mm (0.61x1.38x0.31in)
 - B: 11.8x35x10.2mm (0.47x1.38x0.40in)

Cable Construction

- Length: 3m (9.84ft)
- Standard: USB 2.0
- Power Delivery: .
- Colour: Grey
- Type: Round
- Jacket Diameter: 4.4mm (0.17in)
- Jacket Material: PVC
- Conductor Material: Tinned Copper
- Conductor Gauge Power: 26AWG
- Conductor Gauge Data: 28AWG
- Shielding: Aluminium Magnesium Braid 43%

Specifications

- Supported Bandwidth: 480Mbps

- Maximum Resolution: -
- Nominal Attenuation: 0.5-400MHz < 5.8dB
- Minimum Band Radius: 16mm (0.63in)
- Operating Temperature: 0°C - 40°C (32°F - 104°F)
- Storage Temperature: 0°C - 70°C (32°F - 158°F)

Miscellaneous

- Packaging Type: Polybag
- Warranty (Years): 10
- Product Compliance: RoHS, REACH, California Proposition 65 & UL

Purchasing Information

- No.: 36684
- EAN: 4002888366847

This product is also available in other lengths

- 36681 - 0.5m (1.64ft)
- 36682 - 1m (3.28ft)
- 36683 - 2m (6.56ft)
- 36684 - 3m (9.84ft)
- 36685 - 5m (16.40ft)