Product Name: PILOT Permanent Marker 100/400 SDS No.:RI-119 Page 1/5

SAFETY DATA SHEET

Date of Issue: February 1, 2016

SDS No.: RI-119 Version: 001



1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name : PILOT Permanent Marker 100/400

Product code : SCA-100-B/R/L/G

SCA-400-B/R/L/G

Mixture name : SCZ- B/R/L/G

1.2. Use of the mixture : Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

: PILOT CORPORATION OF EUROPE

Address : PAE de la Caille 74350 ALLONZIER-LA-CAILLE (France)

Telephone number : +33 (0)4 50 08 33 00

Working hours (from 8.30am to 12.30pm and from 01.30pm to 05.30pm

:04.00pm on Friday-French time)

Facsimile number : +33 (0)4 50 46 43 59

e-mail address : pilotfrance@piloteurope.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59

Association /Organization :ORFILA /INRS http://www.centres-antipoison.net

2. HAZARDS IDENTIFICATION

Based on the law and regulation in Japan

Physical /Chemical hazards : Flammable liquid

Environmental hazards : Not applicable

Effect of exposure : Not applicable

Symptom of exposure

Inhalation : Intentional exposure to ink vapors may cause respiratory irritation.

Ingestion : May cause upset stomach.

Skin contact : Ink contact with skin may cause irritation, swelling, or redness.

It is not expected to cause an allergic skin reaction.

Eye contact : Ink contact with eye may be mildly irritating.

Product Name: PILOT Permanent Marker 100/400

3. COMPOSITION / INFORMATION ON INGREDIENTS

Based on the law and regulation in Japan

For ink unless otherwise specified

Ingredients	CAS Number	EINECS Number	Weight %	Component
Ethanol	64-17-5	200-578-6	50~60	All colors
1-Methoxypropan-2-ol	107-98-2	203-539-1	20	All colors
Copper compound	Non public	Non public	5.4	Green
Diphenylamine	122-39-4	204-539-4	< 0.18	Black

4. FIRST AID MEASURES

Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

: Wash the affected area under tepid running water using a mild soap. Skin contact

And refer for medical attention if irritation continues.

: Gently rinse the affected eyes with clean water for at least 15 minutes. Eye contact

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

Medical attention

Local contamination

: In case of skin or eye contamination treat as under First Aid Measures.

Systemic poisoning

: There is no specific antidote. Treat symptoms.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media : In case of fire, use water spray, foam, dry,

chemical powder or carbon dioxide.

5.2 Extinguishing media which shall not be used for : None

safety.

5.3 Special exposure hazards arising from the $: CO_2, CO, NO_x, and SO_x, are produced after$

substance or mixture itself, combustion products

combustion. 5.4 Special protective equipment for fire-figters. : Not required.

5.5 Additional information : None

6. ACCIDENTAL RELEASE MEASURES

: Use proper ventilation. Use eye and skin protection. 6.1 Personal precautions

: Do not dispose of waste to the sewer. 6.2 Environmental precautions

: Absorb spill with material (cloth or paper), then place in a 6.3 Methods for cleaning up

chemical waste containers.

6.4 Additional information : None Product Name: PILOT Permanent Marker 100/400

SDS No.:RI-119

Page 3/5

7. HANDLING AND STORAGE

7.1. Handling : Avoid rough handling or dropping.

7.1.1 Protective measures
7.1.2 Measures to prevent aerosol and dust generation
7.1.3 Measures required to protect the environment
Not required in normal use.
Not required in normal use.

7.1.4 Specific requirements or handling rules : None

7.1.5 Precautions against fire and explosion : Not required in normal use.

: Store in a dry, cool, well-ventilated location, away from possible all

7.2. Storage source of ignition.

7.3. Specific use(s) : Not use it except the ink for writing instruments.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values : Not available.

8.1.1 Occupational exposure controls. : Not available 8.1.2 Biological limit values. : Not available

8.1.3 DNEL and PNEC-value(s) as applicable : No data

8.2. Exposure controls

8.2.1. Occupational exposure controls

a) Respiratory protection
b) Hand protection
c) Eye protection
d) Skin protection
Not required in normal use.
Not required in normal use.
Not required in normal use.

8.2.2. Environmental exposure controls

:ACGIH TLV-TWA Ethanol : 1000ppm 1-Methoxypropan-2-ol : 100ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

For ink unless otherwise specified

9.1. General information

Appearance : liquid

[Color] Black, Red, Blue, Green

Odor : alcohol odor

9.2. Important health, safety and environmental information

pH : Not applicable

Boiling point / boiling range : 78.3 degrees Celsius (ethanol)
Flash point : 14.0 degrees Celsius (ethanol)

Flammability (solid, gas) : Flammable
Explosive properties : None
Oxidizing properties : None

Vapor pressure : 44 mmHg (at 20 degrees Celsius, ethanol)

Relative density : 0.89-0.90 (at 20 degrees Celsius)

Solubility : Not applicable
Water solubility : Insoluble
Partition coefficient: n-octanol / water : No data

Product Name: PILOT Permanent Marker 100/400 SDS No.:RI-119 Page 4/5

Viscosity : 3-4.4 mPa·s (at 20 degrees Celsius) Vapor density : 1.6 (at 20 degrees Celsius, ethanol)

Evaporation rate : No data

9.3. Other information : None.

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid : Fire or intense heat may cause violent rupture of

packages.

: Take precautionary measures against static

discharges.

10.2. Materials to avoid : Strong oxidizing agents and reducing agents.

10.3. Hazardous decomposition products : Heating can release vapours which can be ignited.

: Burning produces obnoxious and toxic fumes, carbon

oxides.

11. TOXICOLOGICAL INFORMATION

For ink unless otherwise specified

11.1. Toxicokinetics, metabolism and distribution : No data

11.2. Acute effects (acute toxicity, irritation and corrosivity)

: Acute toxicity Ethanol :LD₅₀ 7060mg/kg (rat oral)

:LDL₀ 1400mg/kg (human oral)

1-Methoxypropan-2-ol :LD₅₀ 6600mg/kg (rat oral)

:LD₅₀ 13000mg/kg (rabbit skin)

: Irritation Ethanol : 400mg open ; MILD (rabbit skin)

: 100mg/24h; MILD (rabbit eye)

1-Methoxypropan-2-ol : 500mg/hr; Slight (rabbit skin)

: 500mg/24hr; Slight (rabbit eye)

11.3. Sensitization : No data

11.4. Repeated dose toxicity : No data

11.5. CMR (carcinogenicity, mutagenicity, and toxicity for reproduction) : No data

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity	: No data
12.2. Mobility	: No data
12.3. Persistence and degradability	: No data
12.4. Bioaccumulative potential	: No data
12.5. Results of PBT assessment	: No data
12.6. Other adverse effects	: None

13. DISPOSAL CONSIDERATIONS

Follow all regulations in your country.

14. TRANSPORT INFORMATION

For ink unless otherwise specified.

14.1. UN number : 1993 14.2. Class : 3

14.3. Proper shipping name : Flammable Liquid N.O.S.(Ethanol)

14.4. Packing group : II

14.5. Marine pollutant : Not Marine Pollutant

14.6. Other applicable information : None

15. REGULATORY INFORMATION

Follow all regulations in your country.

16. OTHER INFORMATION

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS