# **PRODUCT SAFETY DATA SHEET**



**1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY IDENTIFICATION.** 

Trade Name: DETTOL Power & Pure - Bathroom Trigger

Product Format: Liquid in bottle with trigger spray

Product Use: Multi-surface cleaner

Supplier in UK: Reckitt Benckiser Wellcroft House Wellcroft Road Slough, Berkshire SL1 4AQ	Supplier in The Republic Of Ireland: Reckitt Benckiser Ireland Ltd 7 Riverwalk Citywest Business Campus Dublin 24 Ireland			
Contact Telephone:0845 769 7079Hours of Operation:08:30 - 16:30 weekdays	Contact Telephone:01 661 7318Hours of Operation:09:00 - 17:00 weekdays			
Contact Email: consumer.relations-ukroi@reckittbenckiser.com				
Date Issued:RB Ref No:Issue:RB parent code:Revisions:04 Oct 201225372371033D0387293 v2New MSDS version				
2. HAZARDS IDENTIFICATION.				
2.1 Classification of the substance or mixture         Product definition       : Mixture         Classification according to Directive 1999/45/EC [DPD]         The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.         Classification       : Not classified         See Section 16 for the full text of the R phrases or H statements declared above.         See Section 11 for more detailed information on health effects and symptoms.         2.2 Label elements         Safety phrases       :         S2- Keep out of the reach of children.				

S46- If swallowed, seek medical advice immediately and show this container or label.

el : Safety Data Sheet available for professional user on request.

Supplemental label elements	:	Safety Data Sheet ava
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger 2.3 Other hazards	:	Not applicable.
Other hererde which de		Not evaluable

 Other hazards which do not result in classification
 : Not available.

 Additional information
 : Short term Skin Bleaching agent. IF ON SKIN: Rinse skin with water.



# **3. COMPOSITION / INFORMATION ON INGREDIENTS.**

Substance/mixture	: Mixture		1		
			Class	ification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Hydrogen peroxide	EC: 231-765-0 CAS: 7722-84-1 Index: 008-003-00-9	< 2.5	O; R8 R5 Xn; R20/22 C; R35	Ox. Liq. 1, H271 Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400	[1] [2]
Alkyl(C9-11) alcohol, ethoxylated	CAS: 68439-46-3	0.25 - 1	Xn; R22 Xi; R41	Eye Dam. 1, H318	[1]
CITRIC ACID	EC: 201-069-1 CAS: 77-92-9	0.25 - 1	Xi; R36	Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern

None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Substance with a workplace exposure limit
 Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.



#### 4. FIRST-AID MEASURES.

#### 4.1 Description of first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Move exposed person to fresh air.
Skin contact	: Get medical attention if symptoms occur. Rinse skin with water.
Ingestion	: Wash out mouth with water. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects					
Eye contact :	No known significant effects or critical hazards.				
Inhalation :	No known significant effects or critical hazards.				
Skin contact :	No known significant effects or critical hazards.				
Ingestion :	No known significant effects or critical hazards.				
Over-exposure signs/symptoms					
Eye contact	No specific data.				
Inhalation	No specific data.				

Inhalation	1	No specific data.
Skin contact	1	No specific data.
Ingestion	1	No specific data.

# 4.3 Indication of any immediate medical attention and special treatment needed Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Specific treatments : No specific treatment.

# **5. FIREFIGHTING MEASURES.**

Extinguishing media		
iitable extinguishing edia	:	Use an extinguishing agent suitable for the surrounding fire.
nsuitable extinguishing edia	:	None known.
Special hazards arising f	ron	n the substance or mixture
azards from the bstance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
azardous thermal composition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Advice for firefighters		
pecial protective actions r fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
pecial protective uipment for fire-fighters		Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



# **6. ACCIDENTAL RELEASE MEASURES.**

6.1 Personal precautions, protective equipment and emergency procedures					
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.				
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.				
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
6.3 Methods and materials for containment and cleaning up					
Small spill	: Stop leak if safe to do so. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.				
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.				
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.				

# 7. HANDLING AND STORAGE.

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling					
Protective measures	:	Put on appropriate personal protective equipment (see Section 8).			
occupational hygiene handled, stored and pro eating, drinking and sm equipment before enter		Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
7.2 Conditions for safe stora	age,	including any incompatibilities			
Storage	rage : Store in accordance with local regulations. Store in original container protected direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled contain Use appropriate containment to avoid environmental contamination.				
7.3 Specific end use(s)					
Recommendations	:	Not available.			
Industrial sector specific solutions	:	Not available.			



# **8. EXPOSURE CONTROLS AND PERSONAL PROTECTION.**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### **Occupational exposure limits**

nt name	Exposure limit values	
	Rozporządzenie Ministra Pracy i Polityki Społecznej (Poland, 8/2010). TWA: 1.5 mg/m <sup>3</sup> 8 hour(s). STEL: 4 mg/m <sup>3</sup> 15 minute(s).	
atmosphere of the ventila protective ed methods for	ct contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the effectiveness ation or other control measures and/or the necessity to use respiratory quipment. Reference should be made to European Standard EN 689 fo the assessment of exposure by inhalation to chemical agents and dance documents for methods for the determination of hazardous	
controls		
control worl ingredients	ventilation requirements. Good general ventilation should be sufficient t ker exposure to airborne contaminants. If this product contains with exposure limits, use process enclosures, local exhaust ventilation of eering controls to keep worker exposure below any recommended or nits.	
ires		
eating, smc Appropriate Wash conta	Is, forearms and face thoroughly after handling chemical products, befor oking and using the lavatory and at the end of the working period. It techniques should be used to remove potentially contaminated clothing aminated clothing before reusing. Ensure that eyewash stations and vers are close to the workstation location.	
	vear complying with an approved standard should be used when a risk t indicates this is necessary to avoid exposure to liquid splashes, mists	
	esistant, impervious gloves complying with an approved standard should all times when handling chemical products if a risk assessment indicate ssary.	
	l level 6, Penetration level 3 following EN374, taking into consideration re of chemicals given in chapter 3.	
being perfo	otective equipment for the body should be selected based on the task rmed and the risks involved and should be approved by a specialist dling this product.	
selected ba	e footwear and any additional skin protection measures should be used on the task being performed and the risks involved and should be y a specialist before handling this product.	
standard if a be based of	erly fitted, air-purifying or air-fed respirator complying with an approved a risk assessment indicates this is necessary. Respirator selection mus n known or anticipated exposure levels, the hazards of the product and rking limits of the selected respirator.	
they comply cases, fume	from ventilation or work process equipment should be checked to ensury with the requirements of environmental protection legislation. In some e scrubbers, filters or engineering modifications to the process will be necessary to reduce emissions to acceptable levels.	
	<ul> <li>If this produ atmosphere of the ventila protective er methods for national guid substances.</li> <li>No special controls</li> <li>No special control worl ingredients other engin statutory lin</li> <li>Wash hand eating, smo Appropriate Wash conta safety show</li> <li>Safety eyew assessmen or dusts.</li> <li>Chemical-rr be worn at this is nece Permeation the exposul</li> <li>Personal pr being perfo before hand</li> <li>Appropriate selected ba approved b</li> <li>Use a prop- standard if be based o the safe wo</li> <li>Emissions f they comply cases, fum</li> </ul>	



# 9. PHYSICAL AND CHEMICAL PROPERTIES.

American on basic physica	i a	nu chemical properties
Appearance		
Physical state		Liquid.
Color	4	Colorless.
Odor	4	Characteristic.
Odor threshold	1	Not available.
рН	1	2.2 to 3.2
Melting point/freezing point	1	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	1	Closed cup: >93.3°C
Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Burning time	1	Not applicable.
Burning rate	÷	Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure		Not available.
Vapor density	1	Not available.
Density	1	0.995 to 1.01 g/cm <sup>3</sup>
Solubility(ies)	1	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	:	Not available.
Decomposition temperature	÷	Not available.
Viscosity	÷	Not available.
Explosive properties	÷	Not available.
Oxidizing properties	÷	Not available.

# 9.1 Information on basic physical and chemical properties

#### 9.2 Other information

No additional information.

<b>10. STABILITY AND REACTIVITY.</b>				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: Do not mix with acids or oxidizing agents			
10.5 Incompatible materials	: Do not mix with Other Products CORROSIVE TO METALS			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			



# **11. TOXICOLOGICAL INFORMATION.**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Alkyl(C9-11) alcohol, ethoxylated	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	1378 mg/kg	-

# Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hydrogen peroxide	Eyes - Severe irritant	Rabbit	-	-	-
Citric acid	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Mild irritant	Rabbit	-	-	-

# **Sensitization**

No known effect according to our database.

#### **Mutagenicity**

No known effect according to our database.

## **Carcinogenicity**

No known effect according to our database.

#### Reproductive toxicity

No known effect according to our database.

# **Teratogenicity**

No known effect according to our database.

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ect	<u>s</u>
Not available		

Not available.



<b>Conclusion/Summary</b>	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Other information	: Not available.

# **12. ECOLOGICAL INFORMATION.**

Product/ingredient name	Result	Species	Exposure
Hydrogen peroxide	Acute EC50 0.81 mg/L Fresh water Acute EC50 5.38 mg/L Fresh water	Algae - Anabaena sp. Algae - Pseudokirchneriella subcapitata	3 days 96 hours
	Acute EC50 2320 ug/L Fresh water	Daphnia - Daphnia magna - Neonate - <24 hours	48 hours
	Acute LC50 22 ppm Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
Alkyl(C9-11) alcohol, ethoxylated	Acute EC50 2686 ug/L Fresh water	Daphnia - Daphnia magna - Neonate - <24 hours	48 hours
Citric acid	Acute LC50 8500 ug/L Fresh water Acute LC50 160000 ug/L Marine water	Fish - Pimephales promelas Crustaceans - Carcinus maenas - Adult	96 hours 48 hours

#### 12.2 Persistence and degradability

No known effect according to our database.

# 12.3 Bioaccumulative potential

No known effect according to our database.

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.

# 12.5 Results of PBT and vPvB assessment

РВТ	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects	: No known significant effects or critical hazards.
----------------------------	---



# **13. DISPOSAL CONSIDERATIONS.**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment meth	ods
Product	
Methods of disposal	: Waste must be disposed of in accordance with federal, state and local environmental control regulations. Waste packaging should be recycled.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.</li> </ul>
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **14. TRANSPORT INFORMATION.**

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	UN1760	UN1760	UN1760	UN1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide)	CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide)	CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide)	Corrosive liquid, n.o.s. (Citric acid, Hydrogen peroxide)
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group		111		111
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.	See DG-List
Additional information	Hazard identification number 80	-	Limited quantity	See DG-List.
	Limited quantity 5 L		<u>Emeraencv</u> <u>schedules (EmS)</u> F-A, S-B	
	Special provisions 274			
	Tunnel code (E)			

# **15. REGULATORY INFORMATION.**

Chemical Safety Assessment following regulation 1907/2006/EC: Not relevant. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



# **16. OTHER INFORMATION.**

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>
Key literature references and sources for data	: Not available.
<u>Europe</u>	
Full text of abbreviated H statements	<ul> <li>H271 May cause fire or explosion; strong oxidizer.</li> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> </ul>
Full text of classifications [CLP/GHS]	: Acute Tox. 4, H302 Acute Tox. 4, H32 Aquatic Acute 1, H400 Eye Dam. 1, H318 Eye Irrit. 2, H319 Ox. Liq. 1, H271 Skin Corr. 1A, H314 STOT SE 3, H335 Acute Tox. 4, H302 Aquatic Acute 1, H400 Eye Irrit. 2, H319 Skin Corr. 1A, H314 STOT SE 3, H335 Acute ToxICITY: ORAL - Category 4 ACUTE TOXICITY: INHALATION - Category 4 AQUATIC TOXICITY (ACUTE) - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3
Full text of abbreviated R phrases	<ul> <li>R8- Contact with combustible material may cause fire.</li> <li>R5- Heating may cause an explosion.</li> <li>R22- Harmful if swallowed.</li> <li>R20/22- Harmful by inhalation and if swallowed.</li> <li>R35- Causes severe burns.</li> <li>R41- Risk of serious damage to eyes.</li> <li>R36- Irritating to eyes.</li> </ul>
Full text of classifications [DSD/DPD]	: O - Oxidizing C - Corrosive Xn - Harmful Xi - Irritant

This document complements the technical usage instructions but does not replace them. The information contained herein is based on our best current knowledge if the product concerned, and is given in good faith. The attention of recipients is drawn to (amongst other things) the element of risk consequent to use of the product other than that for which it was intended.

In no way does this document remove the need of the recipient of the product to fully understand and apply statutory requirements. It is the recipient's sole responsibility to take due precautions relative to the use made of the product. All information contained herein is only to assist the recipient in fulfilling their statutory duty connected with the use of hazardous materials.

This list of information must not be considered as exhaustive, and does not exonerate the recipient from taking other precautions described in documents other than those mentioned, concerning the storage and use of the product, for which they remain the sole person responsible.