

### **PMT-14**

### Portable Touchscreen Monitor Full HD 1080p 14" Metal Housing





Screen size 14"



10 Point touch



Full High Definition



16.7 Million colours

### Touchscreen control

The Verbatim Portable Touchscreen Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system\*. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The responsive and intuitive touch screen with 10-point touch functionality supports swipe, scroll, drag, and pinch gestures to help you get your tasks done efficiently. It's the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.

<sup>\*</sup> Ensure your device has a USB-C port supporting DisplayPort Alt Mode and power delivery.

# **PMT-14**

# Portable Touchscreen Monitor Full HD 1080p 14" Metal Housing



General Information				
Product dimensions WxHxD (mm)	328.92 x 209.05	328.92 x 209.05 x 6/12mm (Min/Max)		
Material	Panel: a-Si TFT-LCD / Capacitive touch panel;			
		Aluminium; Sleeve: Neoprene		
Colour	Black	Product weight (grams) approx	860	
Tilt	0° to 85° tilt	Pivot	NA	
VESA mounting	NA	Kensington lock	NA	
Swivel	NA	Portrait mode	NA	
Display				
Panel type		uch with G+FF technology, IPS technol	ogy	
Display size		14" LED-Backlight		
Brightness (typical)		220-250 cd/m2 (typical)		
NTSC		45% NSTC		
Contrast (typical)		1000:1 (typical)		
Active area (mm)	309.31 × 173.99 mm (H×V)			
Pixel pitch (mm)		0.1611 × 0.1611 mm (H×V) [157PPI]		
Resolution (H x V)		1920 x 1080		
Aspect ratio	16:9			
Response time (typical)	Response time (typical GTG): 6ms Response time (typical Tr+Tf): 11+9 ms Response time (BtW): 10 ms			
View angles LR,DU (CR>10)	H 178°/ V 178°(M	H 178°/ V 178°(Min)		
Panel surface	glare (AF=Anti-Fi	glare (AF=Anti-Fingerprint)		
Display colours	16.7M colours	<u> </u>		
PC Input Range				
Vertical frequency	30 to 60Hz	30 to 60Hz		
Maximum display frequency	1920 x 1080 / 60H	1920 x 1080 / 60Hz (Resolution H*V/Fv)		
Input/Output				
USB-C1/2	2 x USB-C suppo	2 x USB-C supporting DisplayPort Alt Mode		
HDMI		1 x Standard HDMI (1.4)		
USB-A	1 x USB-A 2.0			
Earphone	1 x 3.5 mm Audio jack			
Speaker (typical )	2 x 1W (8Ω)	,		
Power				
Consumption (typical)	On: ≤12W; Stand	by≤0.5W, Off≤0.5W		
PD power		2V3A 15V3A 20V 3.25A		
Power mode indicator light	Power on: BLUE (LED) / Power saving: RED (LED)			
Battery	N/A	Ŭ i i		
Controls				
Physical controls	Power & Menu bu	Power & Menu button; Up button (+), Down button (-) + Touch screen		
On screen display	Picture adjust, Colour adjust, Mode adjust, Other settings (Signal source selection, FreeSync, Reset), Exit Menu			
Colour temperature	9300K / 6500K / SRGB / User Mode (default 7500K)			
Preset mode	Standard, Game, Movie, Photo, Scenery, HDR Auto, DCR			



# **PMT-14**

# Portable Touchscreen Monitor Full HD 1080p 14" Metal Housing

Touch				
Touch screen	Capacitive touch panel			
Multi touch	10 Points			
Touch panel	G+FF			
Other Features				
Stand	Built-in kickstand, Tilt: from 0° up to 85°			
Supported technology	IPS; HDR; FreeSync; Low blue light			
EU energy class	A			
Storage and Operating Conditions				
Storage temperature	-20°C to 60°C			
Operating temperature	0°C to 40°C			
Operating humidity	20% to 85% RH non-condensing			

PN	Description	Bar Code	EAN128 Code	EAN14 Code
49591	Verbatim PMT-14 Portable Touchscreen Monitor 14" Full HD 1080p Metal Housing	023942495918	(02)00023942495918(37)05(91)491	50023942495913

Logistic Information	
Pack dimensions LxWxH	254.5 x 425.6 x 57.5 mm
Pack weight	2 050 g
Pcs per pack	1
Outer cartons dimensions LxWxH	445 x 310 x 278 mm
Outer cartons weight	11 050 g
Pcs per outer carton	5
Outer carton per layer	9
Layers per pallet	5
Pcs per pallet	225

#### **Pack Contents:**

- Verbatim PMT-14 Portable Monitor 14" Full HD 1080p Metal Housing
- USB-C to USB-C cable-1.0m
- HDMI-HDMI cable-1.5m
- USB-A to USB-C cable-1.2m
- EU power supply with UK adapter (5V 3A)
- Neoprene protection leeve
- Quick start guide

#### **System Requirements**

- Interface:
  - HDMI (power supply required, included) USB-C
- OS Compatibility:
   Android OS, Windows 11/10/8
   Mac OS, iOS (adapter required for Lightning devices, not included)

#### Warranty

• 2 Year limited warranty



### **Image library**

Download high-res images from the marketing directory: www.verbatim-marcom.com

### **PMT-14**

### Portable Touchscreen Monitor Full HD 1080p 14" Metal Housing



Front



Right side



Pack content



Lifestyle 1



Lifestyle 3



Lifestyle 5



Angled



Back angled



Packaging 3D



Lifestyle 2



Lifestyle 4



Lifestyle 6