


PMT-17 Portable Touchscreen Monitor Full HD 1080p 17.3" Metal Housing





Screen size 17.3"



10 Point touch





16.7 Million colours

Touchscreen control

The Verbatim Portable Touchscreen Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system^{*}. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The responsive and intuitive touch screen with 10-point touch functionality supports swipe, scroll, drag, and pinch gestures to help you get your tasks done efficiently. It's the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.

* Ensure your device has a USB-C port supporting DisplayPort Alt Mode and power delivery.

PMT-17 Portable Touchscreen Monitor Full HD 1080p 17.3" Metal Housing



Product dimensions WxHxD (mm)	396.00 x 247.40	x 6/12mm (Min/Max)		
Material	Panel: a-Si TFT-LCD / Capacitive touch panel; Monitor casing: Aluminium; Sleeve: Neoprene			
Colour	Black	Product weight (grams) approx	1 540	
Tilt	0° to 85° tilt	Pivot	NA	
VESA mounting	NA	Kensington lock	NA	
Swivel	NA	Portrait mode	NA	
Display				
Panel type	10-point multi-touch with G+FF technology, IPS technology			
Display size	17.3" LED-Backlight			
Brightness (typical)	300 cd/m2 (typical)			
NTSC	71% NSTC			
Contrast (typical)	1200:1 (typical)			
Active area (mm)	381.89 × 214.81 mm (H×V)			
Pixel pitch (mm)	0.1989 × 0.1989 mm (H×V)			
Resolution (H x V)	1920 x 1080			
Aspect ratio	16:9			
Response time (typical)	Response time (typical GTG): 6ms Response time (typical Tr+Tf): 11+9 ms Response time (BtW): 10 ms			
View angles LR,DU (CR>10)	H 178°/ V 178°(Min)			
Panel surface	glare (AF=Anti-Fingerprint)			
Display colours	16.7M colours			
PC Input Range				
Vertical frequency	30 to 60Hz			
Maximum display frequency	1920 x 1080 / 60Hz (resolution H*V/Fv)			
Input/Output				
USB-C1/2	2 x USB-C supp	2 x USB-C supporting DisplayPort Alt Mode		
HDMI	1 x Standard HDMI (1.4)			
USB-A	1 x USB-A 2.0			
Earphone	1 x 3.5 mm Audio jack			
Speaker (typical)	$2 \times 1W (8\Omega)$			
Power				
Consumption (typical)	On: ≤12W: Stand	dby≤0.5W, Off≤0.5W		
PD power		2V3A 15V3A 20V3.25A		
Power mode indicator light	Power on: BLUE (LED) / Power saving: RED (LED)			
Battery	N/A			
Controls	· ·			
Physical controls	Power & Menu b	utton; Up button (+), Down button (-) + T	ouch screen	
On screen display	Picture adjust, Colour adjust, Mode adjust, Other settings (Signal source selection, FreeSync, Reset), Exit menu			
Colour temperature	9300K / 6500K / SRGB / User Mode (default 7500K)			
Preset mode	Standard, Game, Movie, Photo, Scenery, HDR Auto, DCR			



PMT-17 Portable Touchscreen Monitor Full HD 1080p 17.3" Metal Housing

Touch				
Touch screen	Capacitive touch panel			
Multi touch	10 points			
Touch panel	G+FF			
Other Features				
Stand	Built-in kickstand, Tilt: from 0° up to 85°			
Supported technology	IPS; HDR; FreeSync; Low blue light			
EU energy class	A			
Storage and Operating Conditions				
Storage temperature	-20°C to 60°C			
Operating temperature	0°C to 40°C			
Operating humidity	20% to 85% RH non-condensing			

PN	Description	Bar Code	EAN128 Code	EAN14 Code
49593	Verbatim PMT-17 Portable Touchscreen Monitor 17.3" Full HD 1080p Metal Housing		(02)00023942495932(37)05(91)491	50023942495937

Logistic Information	
Pack dimensions LxWxH	311 x 521.60 x 57.50 mm
Pack weight	3 000 g
Pcs per pack	1
Outer cartons dimensions LxWxH	540 x 310 x 330 mm
Outer cartons weight	15 800 g
Pcs per outer carton	5
Outer carton per layer	6
Layers per pallet	4
Pcs per pallet	120

Pack Contents:

- Verbatim PMT-17 Portable Touchscreen Monitor 17.3" Full HD 1080p Metal Housing
- USB-C to USB-C cable-1.0m
- HDMI-HDMI cable-1.5m
- USB-A to USB-C cable-1.2m
- EU power supply with UK adapter (5V 3A)
- Neoprene protection leeve
- Quick start guide

System Requirements

- Interface: HDMI (power supply required, included) USB-C
- OS Compatibility: Android OS, Windows 11/10/8 Mac OS, iOS (adapter required for Lightning devices, not included)

Warranty


• 2 year limited warranty



Image library

Download high-res images from the marketing directory: www.verbatim-marcom.com

PMT-17 Portable Touchscreen Monitor Full HD 1080p 17.3" Metal Housing





Angled



Back angled



Packaging 3D



Lifestyle 2



Lifestyle 4



Lifestyle 6







Lifestyle 5