Evo Group, K House, Sheffield Business Park, Europa Link, Tinsley, Sheffield S9 1XU

# 3L Liquid Hand and Surface Sanitiser

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.13 Product Identifier	
Product form	: Mixtures
Product name	: Liquid hand and surface sanitiser
Product code	: 8880-241 / 8880-540
Type of product	: Cosmetic
Registration No.	-
Product group	: Product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: A clear, colourless alcohol-based liquid used for sanitizing
	hands and/or surfaces
1 2 2 Hann advised and wat	

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Emergency telephone number

In an emergency call NHS direct on 111 who will then (if required) contact the National Poisons Information Service, for specific information regarding this product. If the situation is life threatening call 999.

Country	Organisation/Company	Telephone number
United Kingdom	NHS Direct	111

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II) Flammable liquids, Category 2 H225

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

	$\land$
Hazard Pictograms (CLP)	
	GHS 02 GHS 07
Signal word (CLP)	: Flammable, Harmful
Hazardous Ingredients:	: Neutral Grain Spirit
Hazard Statements (CLP)	: H225- Highly flammable liquid and vapour
Precautionary statements (CLP)	: P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition source. No Smoking
	P233 – Keep container tightly closed
	P501 – Store in a well- ventilated place
	P261 - Avoid breathing mist/vapours
	P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor if you feel unwell.
	P370 - In case of fire: Use water for extinction.
	P103 - Always read label and product information before use.
	P102 – Keep out of reach of children
	P301 - If swallowed seek medical advice immediately and show container.

#### 2.3 Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Mixtures

Name	Product Identifier	%	Classification
Ethanol; Ethyl Alcohol	CAS- No. 64-17-5 EC-No. 200-578-6	55-70	Flam.Liq.3,H225
Tert- Butanol	CAS-No. 75-65-0 EC- No. N/a	1	Flam.Liq. 2. H225 Acute Tox. 4. (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H-statements: see section 16

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
First-aid measures after skin contact	: N/A	
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: May cause damage to organs (If you feel unwell, seek medical advice)	
Symptoms/effects after eye contact	: May cause slight irritation.	
4.3 Indication of any immediate medical attention and special treatment needed		

#### 4.3. Indication of any immediate medical attention and special treatment needed

May be harmful to health if swallowed in large quantities, seek immediate medical attention. Effects may be manifested as severe headache or nausea, and can lead to reduced judgement, dizziness, deficits in perception and coordination, alertness and reaction time. Vomiting may occur spontaneously, but do NOT induce unless directed to by medical personnel. Rinse mouth and drink plenty of water.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2 Special hazards arising from the substance or mixture		
Fire Hazard	: Highly flammable liquid and vapour.	
Explosion Hazard	: May form flammable/explosive vapour-air mixture.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise Exercise caution when fighting any chemical fire. Prevent fire	

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

Fighting water from entering the environment.

Protection during firefighting

- - -

: Do not enter fire area without proper protective equipment,

including respiratory protection.

# SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip clean-up crew with proper protection. Avoid breathing vapours.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous
	earth as soon as possible. Collect spillage. Store away from other
	materials.

#### 6.4. Reference to other sections

See also sections 8 and 13. Exposure controls and personal protection. Disposal considerations.

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	3
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
	Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools.
7.2. Conditions for safe storage, i only in the original	ncluding any incompatibilities storage conditions : keep

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Do not expose to
	temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

	Keep container tightly closed.
Incompatible products	: Strong bases. Strong
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Components

<u>Ethanol (64-17-5)</u> Long-term exposure limit: (8-hour TWA ref. period): 1000 ppm (1920 mg/m<sup>3</sup>) Short-term exposure limit (15 min. ref. period): Not applicable.

<u>tert-Butanol (75-65-0)</u> Long-term exposure limit: (8-hour TWA ref. period): 100ppm (308mg/m<sup>3</sup> Short-term exposure limit (15 min. ref. period): 150ppm (462 mg/m<sup>3</sup>)

#### 8.2. Exposure controls

Appropriate engineering controls: Not required for normal conditions of use.

Personal protective equipment: Not required for normal conditions of use.

Hand protection: Not required for normal conditions of use

Eye protection: Not required for normal conditions of use

Skin and body protection: Not required for normal conditions of use

Respiratory protection: Not required for normal conditions of use

Other information: Do not breathe vapours. Do not eat, drink or smoke when using this product.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
рН	: 6.6-7.4
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78 °C
Flash point	: 17.9 °C
Auto-ignition temperature	: 365 °C
Flammability (solid, gas)	: Highly flammable liquid and vapour
Relative vapour density at 20 °C	: 1.59
Relative density	: 0.92
Density	: 0.92 g/cm³
Solubility	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1.2 cP
Explosive properties	: No data available

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

Oxidising properties

: Non oxidative

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity and chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.2. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flames.

#### 10.3. Incompatible materials

Strong acids. Strong bases.

#### 10.4. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified pH: 7
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: 7
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No additional information available

#### 12.2. Persistence and degradability

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020 Hand and surface sanitiser – not established

12.3. Bio accumulative potential

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information

: Avoid release to the environment

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national
	regulations. Dispose of contents/container to an approved
	waste disposal plant.
Additional information	: Handle empty containers with care because residual vapours
	are flammable.
Ecology - waste materials	: Avoid release to the environment.

HP Code : H3-A - 'Highly flammable' :

- liquid substances and preparations having a flash point below 21 °C (including extremely flammable liquids), or
- substances and preparations which may become hot and finally catch fire in contact with air at ambient temperature without any application of energy, or
- solid substances and preparations which may readily catch fire after brief contact with a source of ignition and which continue to burn or to be consumed after removal of the source of ignition, or
- gaseous substances and preparations which are flammable in air at normal pressure, or
- substances and preparations which, in contact with water or damp air, evolve highly flammable gases in dangerous quantities.
- H5 'Harmful': substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may involve limited health risks.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN Number

UN-No. (ADR)

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

: 1170
: 1170
: 1170
: 1170

### 14.2. UN proper shipping name

14.2. On proper simpping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (ADN)	<ul> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>Ethanol solution</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> </ul>
	11
14.3. Transport hazard class(es)	
Transport hazard class(es) (ADR, IMDG,ADN)	: 3
Danger labels (ADR, IMDG, ADN)	:3
Transport hazard class(es) (IATA)	: 3
Danger labels (IATA)	:3
Transport hazard class(es) (RID)	: 3
Danger labels (RID)	: 3
14.4. PACKING GROUP	
Packing group (ADR,IMDG,IATA,ADN,RID)	: 11
14.5. ENVIRONMENTAL HAZARDD	
Dangerous for the environment	: No
Marine Pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Vehicle for tank carriage	: FL
Transport category (ADR)	:2
Special provisions for carriage – Operation	: S2, S20
(ADR) Hazard identification number (Kemler No.)	: 33

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

Orange plates	: 33
	1170
Tunnel restriction code (ADR)	: D/E
EAC code	:•2YE
- Transport by sea	
Special provisions (IMDG)	: 144
Limited quantities (IMDG)	:1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c.
	Explosive limits: 3.3% to 19% Miscible with water.
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A58, 180
ERG code (IATA)	: 3L
- Inland waterway transport	. 51
Classification code (ADN)	: F1
Special provisions (ADN)	: 144, 61 : 1 L
Limited quantities (ADN) Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: E2 : T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	:1
- Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 144, 601
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions	
(RID)	: T4

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

Portable tank and bulk container special	
provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

### 14.7. Transport in bulk according to annex ii of Marpol and the IBC code

Not applicable.

# **SECTION 15:** Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substance

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, amending Regulation (EC) No 1907/2006.
Other information	: None.

#### Full text of H- and EUH- statements:

Flam. Liq. 2.	Flammable liquids, Category 2
Acute Tox. 4. (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H332	Harmful if inhaled
H319	Causes serious eye irritation
H335	May cause respiratory irritation

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/03/2020

Before using any product, ensure that you have read and understood its label. The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. VOW Wholesale supply chain does not accept any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.