

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : A-10147

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name **Toner** for WorkCentre 6515, Phaser 6510, Xerox® VersaLink C500, Xerox® VersaLink C505, Xerox® VersaLink C600, Xerox® VersaLink C605

Part no. 106R03473, 106R03474, 106R03475, 106R03476, 106R03477, 106R03478, 106R03479, 106R03480, 106R03481, 106R03482, 106R03483, 106R03484, 106R03485, 106R03486, 106R03487, 106R03488, 106R03489, 106R03490, 106R03491, 106R03492, 106R03690, 106R03691, 106R03692, 106R03693, 106R03694, 106R03695, 106R03855, 106R03856, 106R03857, 106R03858, 106R03859, 106R03860, 106R03861, 106R03862, 106R03863, 106R03864, 106R03865, 106R03866, 106R03867, 106R03868, 106R03869, 106R03870, 106R03871, 106R03872, 106R03873, 106R03874, 106R03875, 106R03876, 106R03877, 106R03878, 106R03879, 106R03880, 106R03881, 106R03882, 106R03883, 106R03884, 106R03885, 106R03886, 106R03887, 106R03892, 106R03893, 106R03894, 106R03895, 106R03896, 106R03897, 106R03898, 106R03899, 106R03900, 106R03901, 106R03902, 106R03903, 106R03904, 106R03905, 106R03906, 106R03907, 106R03908, 106R03909, 106R03910, 106R03911, 106R03912, 106R03913, 106R03914, 106R03915, 106R03916, 106R03917, 106R03918, 106R03919, 106R03920, 106R03921, 106R03922, 106R03923, 106R03924, 106R03925, 106R03926, 106R03927, 106R03928, 106R03929, 106R03930, 106R03931, 106R03932, 106R03933, 106R03934, 106R03935, 106R03936, 106R03937, 106R03938, 106R03939

Colour Cyan, Black, Magenta, Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.
Xerox Environment, Health & Safety
Bessemer Road
Welwyn Garden City
Herts. AL7 1HE
UK

For further information, please contact

Contact person Manager, Environment, Health, Safety
& Sustainability
Phone ++44 (0)1707 353434
Fax -
E-mail address ehs-europe@xerox.com

1.4 Emergency telephone

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

SDS # : A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

2.3 Other hazards

No hazard expected under normal conditions of use

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

This formulation represents multiple colors and the component list includes multiple pigments/dyes. The actual formulation for each color will differ only in the pigment/dye used.

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Resin(s)	60-80	Proprietary	Not listed	--	--	
Paraffin wax	5-15	8002-74-2	232-315-6	--	--	
Cyan pigment	0-10	147-14-8	205-685-1	--	--	01-2119458771-32-0044
Carbon black	0-10	1333-86-4	215-609-9	Carc 2 (inhalation)	H351	01-2119384822-32-0065
Magenta pigment	0-10	Proprietary	Listed	--	--	
Yellow pigment	0-10	Proprietary	Listed	--	--	
Silica	1-10	68909-20-6	272-697-1	--	--	
Titanium dioxide	<2	13463-67-7	236-675-5	--	--	

Note

Components marked as "Not Listed" are exempt from registration.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute Toxicity

Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect

Chronic effects

SDS # : A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

Chronic toxicity	No known effects under normal use conditions
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

5.3 Special protective actions for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.
Wear self-contained breathing apparatus and protective suit.

Other information

Flammable properties	Not flammable
Flash point	Not applicable
Hazardous combustion products	Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NO _x)

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

No special environmental precautions required

6.3 Methods and material for containment and cleaning up

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

6.4 Reference to other sections

None

SDS # : A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)

8.2 Exposure controls

Engineering measures	None under normal use conditions
----------------------	----------------------------------

8.3 Individual protection measures, such as personal protective equipment (PPE)

Respiratory protection	No special protective equipment required
Eye/face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Powder	Odour	Faint
Odour threshold	Not applicable	Physical state	Solid
pH	Not applicable	Colour	Cyan, Black, Magenta, Yellow
Flash point	Not applicable	Boiling point/boiling range	Not applicable
Softening point	49 - 60 °C / - 140 °F	120 Autoignition temperature	Not applicable
Flammability Limits in Air	Not applicable		
Vapour pressure	Not applicable		
Vapour density	Not applicable		
Water solubility	Negligible		
Viscosity	Not applicable		
Partition coefficient	Not applicable		
Evaporation rate	Not applicable		
Melting point/range	Not determined		

SDS # : A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

Freezing point	Not applicable
Decomposition temperature	Not determined
Specific gravity	~ 1

9.2 Other information

Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard
-----------------------------	--

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible materials to avoid

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

Acute Toxicity

Product Information

Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

Chronic toxicity

Product Information

Chronic effects	No known effects under normal use conditions
Carcinogenicity	Not classifiable as a human carcinogen
Other information	The IARC (International Agency for Research on Cancer) has listed carbon black as

SDS # : A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

"possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. The Titanium Dioxide Industry REACH Consortium have concluded that these effects were species-specific, attributable to lung overload and not specific to TiO₂, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

Sensitisation	No sensitisation responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Target organ effects	None known
Other adverse effects	None known
Aspiration Hazard	Not applicable

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Acute Aquatic Toxicity	On available data, substance is not harmful to aquatic life.
Chronic Aquatic Toxicity	On available data, substance is not harmful to aquatic life.

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Other adverse effects

SDS #: A-10147

Toner - Cyan Black Magenta Yellow

Issuing Date 2016-02-23

Revision Date 2017-03-01

Version 1

Presents little or no hazard to the environment

13. DISPOSAL CONSIDERATIONS**13.1 Disposal considerations**

Waste Disposal Method No special precautions are needed in handling this material
EWC Waste Disposal No. 08 03 18

14. TRANSPORT INFORMATION**14.1 UN/ID No**

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008.

15.2 Chemical Safety Assessment

Not applicable

16. OTHER INFORMATION

SDS # : A-10147**Toner - Cyan Black Magenta Yellow****Issuing Date** 2016-02-23**Revision Date** 2017-03-01**Version** 1

Issuing Date 2016-02-23**Revision Date** 2017-03-01**Revision Note** Part number(s) 106R03855 thru 106R03939 added

Model(s) Xerox VersaLink C500, C505, C600, C605 added

Full text of H-Statements referred to under sections 2 and 3 H351 - Suspected of causing cancer if inhaled**This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.