

SAFETY DATA SHEET

Page: 1 of 4 SDS No.: 021-001654

Date of issue : 17 December, 2013 Revision Date : 25 April, 2019

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

PRODUCT NAME: Black Toner for Panasonic Multi-Function Printer, Models

KX-MC6015, KX-MC6020, KX-MC6255, KX-MC6260

PRODUCT NUMBER : KX-FATK504E, KX-FATK509E, KX-FATK509X, KX-FADK511E, KX-FADK511X

RECOMMENDED USE: Toner for electrophotographic printing apparatus

MANUFACTURER : Panasonic Corporation

Connected Solutions Company

Business Communication Business Unit

4-1-62 Minoshima, Hakata-ku, Fukuoka City, 812-8531 Japan Tel : +81-(0)70-1349-4205 Fax : +81-(0)92-477-1686

E-mail : msdsinfo_ut@ml.jp.panasonic.com

CONTACT POINT : Panasonic Testing Center

Panasonic Marketing Europe GmbH

Winsbergring 15, D-22525 Hamburg, Germany

Tel: +49 (0)40 8549- 0

SECTION 2 HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: Black fine powder, slight plastic odor.

Not a highly flammable, but when suspended in air, is

combustible as with most organic powders.

GHS CLASSIFICATION: Classification not possible

GHS LABEL ELEMENTS

PICTOGRAMS OR SYMBOLS : Not required SIGNAL WORD : Not required HAZARD STATEMENTS : Not required

OTHER HAZARDS : None

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE OR MIXTURE : Mixture PROPORTION CLP INGREDIENTS (% by wt.) EC # (Common Name) CAS # Classification* • Polyester resin 70 - 90 Trade secret None 1 - 10 ♦ Wax Trade secret None • Carbon Black 1 - 10 1333-86-4 215-609-9 None • Amorphous silica 1 - 5 68909-20-6 272-697-1 None • Charge control agent-1 1 - 5 Trade secret None ◆ Charge control agent-2 1 - 5 31714-55-3 250-774-0 None 1 - 5 • Organic pigment Trade secret None

^{*} Full texts of Hazard Statements are listed in SECTION 16.

Page: 2 of 4 SDS No.: 021-001654

SECTION 4 FIRST AID MEASURES

INHALATION : Remove to fresh air. If effects occur, consult medical personnel.

INGESTION: Rinse mouth. If swallowed, drink 1-2 glasses of water and immediately

induce vomiting. Get medical attention.

SKIN CONTACT: Wash after each contact. Get medical attention if symptoms is occur. EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT : No data available. FLAMMABLE LIMITS : No data available.

EXTINGUISHING MEDIA: Water fog, dry chemical, foam or CO2.

UNSUITABLE EXTINGUISHING MEDIA : None

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, Carbon dioxide and Smoke.

FIRE-FIGHTING EQUIPMENT: Wear full bunker gear including a positive pressure

self-contained breathing apparatus in case of burning

in large quantities.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Minimize the release of particulates. Wear personal protective equipment. Do not use vacuum cleaner.

After by lightly spraying with water to prevent development of dust, spills should be swept up or wiped up. Then residuals can be removed with soap and water. Preferred to use the material in a place, covering up the floor and surrounding matters with suitable sheets such as paper, in a case of being not fit to scrub the floor with water. These used sheets should be wrapped up in spills and transfer into a suitable container for disposal.

Garments may be washed or dry cleaned, after removal of loose toner.

SECTION 7 HANDLING AND STORAGE

HANDLING: Avoid creating dust. Clean up all spills promptly.

Inhalation and contact with skin or eyes should be avoided. Provide general ventilation. Good general ventilation

should be sufficient of most conditions.

STORAGE: Store in a cool, well ventilated place away from flames and

spark-producing equipment.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES : ACGIH TLV= 10mg/m3(Total dust), 3mg/m3(Respirable dust)

OSHA PEL= 15mg/m³(Total dust), 5mg/m³(Respirable dust)

ENGINEERING CONTROLS : Good general ventilation is recommended.

RESPIRATORY PROTECTION: Not required under normal conditions. For use other than

in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.

SKIN PROTECTION: No precautions should be needed under normal use. EYE PROTECTION: No precautions should be needed under normal use.

Page: 3 of 4 SDS No.: 021-001654

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Black fine powder
ODOR: Slight plastic odor

PARTICLE SIZE : 5 - 15 μm Not applicable SOFTENING POINT : 100 - 150 $^{\circ}$ C

BOILING POINT:

VAPOR PRESSURE:

No information available

NAPOR DENSITY:

No information available

BULK DENSITY: 0.4

SOLUBILITY IN WATER: Negligible PARTITION COEFFICIENT (n-octanol/water): No data AUTO-IGNITION TEMPERATURE: No data DECOMPOSITION TEMPERATURE: No data VISCOSITY: No data

EXPLOSIVE PROPERTIES: Can form explosive dust-air mixtures when

finely dispersed in air.

OXIDISING PROPERTIES : No data

SECTION 10 STABILITY AND REACTIVITY

REACTIVITY: None

CHEMICAL STABILITY: This is a stable product.

POSSIBILITY OF HAZARDOUS REACTIONS : None CONDITIONS TO AVOID : None

INCOMPATIBLE MATERIALS : Oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides, hydrocarbons(by high heat and fire)

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY :

ORAL TOXICITY: LD50 > 2000 mg/kg(Rat) $^{1)}$

INHALATION TOXICITY: No Data

SKIN CORROSION/IRRITATION : NON-IRRITANT(Rabbit) 1)

SERIOUS EYE DAMAGE/IRRITATION : No data

SKIN SENSITISATION: NON-SENSITIVE(Guinea Pig) 1)

REPEATED DOSE TOXICITY :

In study in rats (H. Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m^3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m^3) exposure group.

But no pulmonary change was reported in the lowest $(1mg/m^3)$ exposure group, the most relevant level to potential human exposure.

CARCINOGENICITY :

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

MUTAGENICITY: Negative in the Ames test

REPRODUCTIVE TOXICITY: Not available

1) This information is based on toxicity data for similar materials and ingredients.

Page: 4 of 4 SDS No.: 021-001654

SECTION 12 ECOLOGICAL INFORMATION

MOBILITY:

No information available
BIOACCUMULATION:

No information available
ECOTOXICITY:

No information available

SECTION 13 DISPOSAL CONSIDERATION

WASTE DISPOSAL METHOD: When disposing of the waste or recovered material, consult

federal, state and/or local regulations for the proper

disposal method.

SECTION 14 TRANSPORT INFORMATION

TRANSPORT INFORMATION: This is not a hazardous product.

UN NUMBER:

UN SHIPPING NAME:

None allocated

None allocated

None allocated

None allocated

None allocated

None allocated

Not regulated

Not regulated

SECTION 15 REGULATORY INFORMATION

USA INFORMATION :

All chemical substances in this product comply with all applicable rules or orders under TSCA.

AUSTRALIA INFORMATION :

Not classified as hazardous according to criteria of NOHSC.

EU INFORMATION :

(EC) No 1907/2006: AUTHORISATION ON USE: Not regulated

RESTRICTIONS ON USE: Not regulated

(EC) No 1272/2008 : CLASSIFICATION : None

HAZARD CLASS : None HAZARD STATEMENT : None

SECTION 16 OTHER INFORMATION

REFERENCES :

IARC(2010) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide and Talc. Lyon FRANCE, PP.193-276.

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.Mackenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation must be examined if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation.