

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet W2002A-X-XC Yellow Print Cartridge
Registration number	-
Synonyms	None.
Issue date	26-Apr-2019
Version number	13
Revision date	04-Jul-2023
Supersedes date	20-Apr-2023
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	This product is a yellow toner preparation that is used in HP Color LaserJet Enterprise M750n, M750dn, M750xh series printers.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc UK Ltd, Regulatory Enquiries, Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
Telephone	+44 20 7660 0596 (Consumer)
	+44 20 7660 0403 (Commercial)
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	sustainability@hp.com
1.4 Emergency telephone number	+44 20 35147487

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

•••	•
Contains:	Pigment, Solid paraffin, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Endocrine disrupting properties (Toxicity/Ecotoxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate levels.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate cop	olymer	<90	CBI	-	-	
			-			
	Classification: -					
Pigment		<10	CBI	-	-	
			-			
	Classification: -					
Solid paraffin		<10	Proprietary	-	-	
			232-315-6			
	Classification: -					
Wax		<10	CBI	-	-	
			-			
	Classification: -					

SECTION 4: First aid measures

•••			
Not	avai	lat	ole.

4.1. Description of first aid meas	sures
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

SECTION 6: Accidental release measures

ctive equipment and emergency procedures
Minimize dust generation and accumulation.
Not available.
Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

SECTION 8: Exposure co	ntrois/personal protection
8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
Exposure guidelines	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)
8.2. Exposure controls	
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures,	such as personal protective equipment
General information	No personal respiratory protective equipment required under normal conditions of use.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Not available.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Fine powder
Physical state	Liquid.
Form	solid
Color	Yellow
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.

Initial boiling point and boiling rangeNot applicableFlash pointNot applicableFlash pointNot applicableEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or evVerticeExplosive limit - lower (%)Not flammableMot available.Not available.Vapor pressureNot available.Patitive density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility (water)Not available.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicablePorcent volatileNot applicableSolubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Precent volatileNot applicableSolubility (mater)Not applicableSolubility (mater)Not available.Percent volatileNot available.Precent volatileNot available.Solubility (mater)Not available.Solubility (mater)Not available.Percent volatileNot available.Percent volatileNot available.Solubility (mater)Not available.Solubility (mater)Not available.Solubility (mater)Not available.Percent volatileNot available.Solubility (mater)Not available.Solubility (mater)Not available.Solubility (mater		
Evaporation rateNot availableFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not flammableExplosive limit - upper (%)Not available.Vapor pressureNot applicableDensity and/or relative density1 - 1.2 g/cm3Relative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility (ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperature (socity)Not applicableDecomposition temperature (socity)>392 °F (>200 °C)ViscosityNot available.Oxidizing properties (socity)Not available.9.2. Other information Percent volatile Softening point Softening pointNegligible176 - 266 °F (80 - 130 °C) Specific gravity1 - 1.2	•••••••••••••••••••••••••••••••••••••••	Not applicable
Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not flammableExplosive limit - upper (%)Not available.Vapor pressureNot available.Density and/or relative densityRelative densityRelative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility (ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperatureSiglicableSolubility propertiesNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationNot available.9.2. Other informationIffe - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Flash point	Not applicable
Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not flammableExplosive limit - upper (%)Not available.Vapor pressureNot applicableDensity and/or relative density1 - 1.2 g/cm3Relative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility (ies)Solubility (water)Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperature>392 °F (>200 °C)ViscosityNot available.Oxidizing propertiesNot available.9.2. Other informationPercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Evaporation rate	Not applicable
Explosive limit - lower (%)Not flammableExplosive limit - upper (%)Not available.Vapor pressureNot applicableDensity and/or relative densityNot applicableRelative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility(ies)Solubility (water)Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableSolubility (mater)Not applicableSolubility (mater)Not applicablePercent volatileNot available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Flammability (solid, gas)	Not available.
Explosive limit - upper (%)Not available.Vapor pressureNot applicableDensity and/or relative density1 - 1.2 g/cm3Relative vapor density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility(ies)Solubility (water)Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature>392 °F (>200 °C)ViscosityNot available.Oxidizing propertiesNot available.9.2. Other informationFormation available.Percent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Upper/lower flammability or exp	losive limits
Vapor pressureNot applicableVery and/or relative density1 - 1.2 g/cm3Relative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility(ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableDecomposition temperature (xiscosityNot applicableOxidizing properties (xizing propertiesNot available.Oxidizing properties (xiscosityNot applicablePercent volatile (xigitionNegligibleSoftening point (xistosity)1-1.2	Explosive limit - lower (%)	Not flammable
Density and/or relative densityI - 1.2 g/cm3Relative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableDecomposition temperature (xiscosityNot applicableExplosive properties Oxidizing propertiesNot available.Oxidizing properties Softening pointNot information available.Percent volatile Softening pointNegligibleSoftening point Specific gravity1-1.2	Explosive limit - upper (%)	Not available.
Relative density1 - 1.2 g/cm3Relative vapor densityNot available.Solubility(ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableUiscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationPercent volatilePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Vapor pressure	Not applicable
Relative vapor densityNot available.Solubility(ies)Negligible in water. Partially soluble in toluene and xylene.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot available.Oxidizing propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationImplicationPercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Density and/or relative density	
Solubility(ies)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableDecomposition temperatureNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Relative density	1 - 1.2 g/cm3
Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature>392 °F (>200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Relative vapor density	Not available.
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature>392 °F (>200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Solubility(ies)	
(n-octanol/water)Auto-ignition temperatureNot applicableDecomposition temperature>392 °F (>200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Decomposition temperature>392 °F (>200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2		Not available.
ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationVegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Auto-ignition temperature	Not applicable
Explosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationNegligiblePercent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Decomposition temperature	>392 °F (>200 °C)
Oxidizing properties No information available. 9.2. Other information Percent volatile Negligible Softening point 176 - 266 °F (80 - 130 °C) 1 - 1.2	Viscosity	Not applicable
9.2. Other information Percent volatileNegligible 176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Explosive properties	Not available.
Percent volatileNegligibleSoftening point176 - 266 °F (80 - 130 °C)Specific gravity1 - 1.2	Oxidizing properties	No information available.
Softening point 176 - 266 °F (80 - 130 °C) Specific gravity 1 - 1.2	9.2. Other information	
Specific gravity 1 - 1.2	Percent volatile	Negligible
	Softening point	176 - 266 °F (80 - 130 °C)
VOC Not applicable	Specific gravity	1 - 1.2
	VOC	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

Not available.

Information on likely routes of exposure

General information

Information on likely routes of e	exposure	
Inhalation	Under normal conditions of intended	use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild	irritation.
Eye contact	Contact with eyes may result in mild	l irritation.
Ingestion	Ingestion is not a likely route of expo	osure.
Symptoms	Not available.	
11.1. Information on toxicologic	al effects	
Acute toxicity	Based on available data, the classification criteria are not met.	
Product	Species	Test Results
W2002A-X-XC		
<u>Acute</u>		
LD50		> 2000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitization	Based on available data, the classifi	ication criteria are not met.

Material name: W2002A-X-XC

14944 Version #: 13 Revision date: 04-Jul-2023 Issue date: 26-Apr-2019

Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	Not available.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity	LC50: >100 mg/l, Fish, 96.00 Hours		
Product		Species	Test Results
W2002A-X-XC			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
12.2. Persistence and degradability	Not availat	le.	
12.3. Bioaccumulative potential	Not availab	le.	
Partition coefficient n-octanol/water (log Kow)	Not availat	le.	
Bioconcentration factor (BCF)	Not availat	le.	
12.4. Mobility in soil	Not availab	le.	
12.5. Results of PBT and vPvB assessment	Not a PBT	or vPvB substance or mixture.	
12.6. Other adverse effects	Not availab	le.	
SECTION 13: Disposal co	onsideratio	ons	

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

ADR	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not Regulated
name	
14.3. Transport hazard class((es)
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No

14.6. Special precautions for user	Not assigned.
ΙΑΤΑ	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not Regulated
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	s No
14.6. Special precautions	Not assigned.
for user	
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not Regulated
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	
14.7. Maritime transport in bulk	Not available.
according to IMO instruments	
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations

	s HP product have been notified or are exempt from notification under chemical substances ng countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, ea, New Zealand, and China.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	None.
Revision information	SECTION 2: Hazards identification: 2.3. Other hazards SECTION 15: Regulatory information: European Union SECTION 15: Regulatory information: International regulations
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

ACGIH	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye Irritation
Flam. Liq.	Flammable liquids
Flam. Sol.	Flammable solids
Lact.	Effects on or via lactation
Muta.	Germ cell mutagenicity
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
Ox. Liq.	Oxidising liquids
Ozone	Hazardous to the ozone layer
PEL	Permissible Exposure Limit
Press. Gas	Gases under pressure
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitization
SARA	Superfund Amendments and Reauthorization Act of 1986
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STEL	Short-Term Exposure Limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act