

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet W2190A-X Black Print Cartridge

Registration number -

Synonyms None.

Issue date 02-Apr-2024

Version number 02

Revision date 30-Aug-2024 Supersedes date 02-Apr-2024

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a toner preparation that is used in HP Color LaserJet Pro 3201 3202 3203 3288,

HP Color LaserJet Pro MFP 3301 3302 3303 3388 series printers.

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

 (Toll-free within the US)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Email:
 sustainability@hp.com

 1.4 Emergency telephone
 +44 20 35147487

number

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

Material name: W2190A-X SDS GREAT BRITAIN

16459 Version #: 02 Revision date: 30-Aug-2024 Issue date: 02-Apr-2024

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **General information**

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer		<85	CBI	-	-	
	Classification: -		-			
Wax		<15	CBI	-	-	
	Classification: -		-			
Carbon Black		<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
	Classification: -					
Amorphous silica		<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
	Classification: -					

### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

## **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, dry chemical, or foam

media

Unsuitable extinguishing

media

5.2. Special hazards arising

from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting

procedures

Not available.

None known.

None established.

Specific methods None established.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Avoid contact with skin and eyes.

Not available. For emergency responders

6.2. Environmental precautions Keep out of waterways

6.3. Methods and material for containment and cleaning up Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with

dust explosion safety measures. May form explosive mixtures with air.

6.4. Reference to other

sections

Not available.

Material name: W2190A-X

16459 Version #: 02 Revision date: 30-Aug-2024 Issue date: 02-Apr-2024

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid breathing dust or vapor. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## Occupational exposure limits

## **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

### General population

Components	Value	Assessment factor Notes	Notes	
Carbon Black (CAS 1333-86-4)				
Long-term, Local, Inhalation	1.75 mg/m3	2		
Long-term, Systemic, Inhalation	0.06 mg/m3	5		
<u>Workers</u>				
Components	Value	Assessment factor Notes		
Components Carbon Black (CAS 1333-86-4)	Value	Assessment factor Notes		
	Value 2 mg/m3	Assessment factor Notes  1		
Carbon Black (CAS 1333-86-4)		Assessment factor Notes  1 1		

# Pre

Components	Value	Assessment factor Notes
Carbon Black (CAS 1333-86-4)		
Freshwater	5 mg/l	

Marine water 5 ma/l

**Exposure guidelines** Carbon Black: OSHA (TWA/PEL): 3.5 mg/m3, ACGIH TLV (TWA): 3 mg/m3, inhalable

particulate matter

8.2. Exposure controls

Appropriate engineering

None established.

controls

## Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection - Other Not available. Respiratory protection Not available. Not available. Thermal hazards Not available. Hygiene measures Not available. **Environmental exposure** 

controls

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** Fine powder **Physical state** Solid. solid **Form** Color Black.

Material name: W2190A-X SDS GREAT BRITAIN Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Not flammable

Explosive limit - upper (%)

Not available.

Density and/or relative density

Relative density 1 - 1.2 g/cm3
Vapor density Not applicable

Solubility(ies)

Vapor density

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Not applicable

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNo data availableDecomposition temperature>392 °F (>200 °C)ViscosityNot applicableExplosive propertiesNot available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile Negligible

**Softening point** 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

VOC Not applicable

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

None.

10.4. Conditions to avoid None.

**10.5. Incompatible materials** Acids, Bases, Oxidizing agents, Reducing agents.

**10.6. Hazardous** Carbon monoxide and carbon dioxide.

decomposition products

# **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

InhalationNot available.Skin contactNot available.Eye contactNot available.IngestionNot available.SymptomsNot available.

11.1. Information on toxicological effects

Acute toxicity LD50 > 2000 mg/kg (Ingestion)

Material name: W2190A-X SDS GREAT BRITAIN

**Test Results** Components **Species** 

Carbon Black (CAS 1333-86-4)

Acute Oral

LD50 Rat

Skin corrosion/irritation Non-irritant

Serious eye damage/eye

irritation

Transient slight conjunctival irritation only

Respiratory sensitization Non - Sensitizing

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate Carcinogenicity

human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor

> 10000 mg/kg

development in rats.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Specific target organ toxicity -

single exposure

Not available. Not available.

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Not available. **Aspiration hazard** Mixture versus substance Not available.

information

Other information No information available.

# **SECTION 12: Ecological information**

12.1. Toxicity ErL50: >100 mg/l, Algae, 72.00 Hours

**Product Test Results Species** 

W2190A-X

Aquatic

Algae ErL50 Algae > 100 mg/l, 72 Hours Crustacea EL50 Crustacea > 100 mg/l, 48 Hours Fish LL50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available. Partition coefficient Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

Not available. 12.4. Mobility in soil Not available

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

None known. 12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste Not available Contaminated packaging Not available. EU waste code Not available.

Material name: W2190A-X SDS GREAT BRITAIN

### Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

### **ADR**

**14.1. UN number** Not regulated as dangerous goods.

Not Regulated

14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.
14.4. Packing group Not assigned.

14.5. Environmental hazards No

14.6. Special precautions Not assigned.

for user

IATA

**14.1. UN number** Not regulated as dangerous goods.

Not Regulated

14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

**14.4. Packing group** Not assigned.

14.5. Environmental hazards No

**14.6. Special precautions** Not assigned.

for user

**IMDG** 

**14.1. UN number** Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not Regulated

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

**14.4. Packing group** Not assigned.

14.5. Environmental hazards

Marine pollutant No

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not available.

according to IMO instruments

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Material name: W2190A-X SDS GREAT BRITAIN

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

**Authorizations** 

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia,

Japan, Philippines, South Korea, New Zealand, and China.

Not available.

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment
Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

## **SECTION 16: Other information**

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

**Revision information** 

Training information

Disclaimer

3. Composition / Information on Ingredients: Disclosure Overrides

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: W2190A-X SDS GREAT BRITAIN

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

Acute Tox. Acute toxicity

**Aquatic Acute** Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard **Aquatic Chronic** 

Aspiration hazard Asp. Tox. Carcinogenicity Carc.

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

Eve Dam. Serious eye damage

Eye Irritation Eye Irrit. Flammable liquids Flam. Liq. Flam. Sol. Flammable solids

Lact. Effects on or via lactation Germ cell mutagenicity Muta.

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA** 

Ox. Liq. Oxidising liquids

Ozone Hazardous to the ozone layer **PEL** Permissible Exposure Limit Press. Gas Gases under pressure

**RCRA** 

Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

Repr. Reproductive toxicity Resp. Sens. Respiratory sensitization

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

Skin Corr. Skin corrosion Skin Irrit. Skin irritation Skin Sens. Skin sensitization

**STEL** Short-Term Exposure Limit

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure **TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

Toxic Substances Control Act **TSCA** 

Material name: W2190A-X SDS GREAT BRITAIN