

SAFETY DATA SHEET

Liquid Soap Green

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Liquid Soap Green

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cosmetic product

Product code (A.I.S.E.)

AISE-C0001 / Cosmetic, not applicable.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU 20	Health services
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 39	Cosmetics, personal care

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Metsä Tissue Oyj
Customer Service
35801 Mänttä
Finland
+358 (0)10 464 7222
+358 3 474 2957
www.katrin.com

Contact person

Eija Saski

E-mail

info.katrin.sds@metsagroup.com

Revision

21/11/2023

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation. This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium 2-(2-dodecyloxyethoxy)ethyl sulphate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Aquatic Chronic 3, H412	
amide polyglycolic ether	CAS No.: 85536-23-8 EC No.: 932-164-2 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Aquatic Chronic 3, H412	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...	CAS No.: 147170-44-3 EC No.: 604-575-4 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318 (SCL: 10.00 %) Aquatic Chronic 3, H412	
linalool	CAS No.: 78-70-6 EC No.: 201-134-4 UK-REACH: Index No.: 603-235-00-2	<0.01%	Skin Sens. 1B, H317	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	12.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13.04 mg/m ³
Long term – Systemic effects - Workers	Inhalation	44 mg/m ³
Long term – Systemic effects - General population	Oral	7.5 mg/kg bw/day

2-phenoxyethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term – Local effects - General population	Inhalation	2.41 mg/m ³
Long term – Local effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Inhalation	2.41 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day

amide polyglycolic ether

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	0,5 mg/kg bw/day
Short term – Systemic effects - General population	Dermal	20 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	40 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	0,88 mg/m ³
Long term – Systemic effects - Workers	Inhalation	1,76 mg/m ³
Long term – Systemic effects - General population	Oral	0,25 mg/m ³

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Short term – Systemic effects - General population	Oral	20 mg/kg bw/day
--	------	-----------------

glycerol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	132 mg/m ³
Long term – Local effects - Workers	Inhalation	220 mg/m ³

propane-1,2-diol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	10 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Systemic effects - General population	Inhalation	50 mg/m ³
Long term – Systemic effects - Workers	Inhalation	168 mg/m ³

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

sodium benzoate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	60 µg/m ³
Long term – Local effects - Workers	Inhalation	100 µg/m ³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day

PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		13.5 µg/L
Freshwater sediment		14.8 mg/kg
Marine water		1.35 µg/L
Marine water sediment		1.48 mg/kg
Sewage treatment plant		3 g/L
Soil		800 µg/kg

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		943 µg/L
Freshwater sediment		7.237 mg/kg
Intermittent release (freshwater)		3.44 mg/L
Marine water		94.3 µg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Marine water sediment	723.7 µg/kg
Sewage treatment plant	36 mg/L
Soil	1.31 mg/kg

amide polyglycolic ether

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	-	0.0022 mg/L
Freshwater sediment	-	0,136 mg/kg
Marine water	-	0.00022 mg/L
Marine water sediment	-	0,0136 mg/kg
Sewage treatment plant	-	10 mg/L
Soil	-	0,109 mg/kg

glycerol

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		1 g/L

propane-1,2-diol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		260 mg/L
Freshwater sediment		572 mg/kg
Intermittent release (freshwater)		183 mg/L
Marine water		26 mg/L
Marine water sediment		57.2 mg/kg
Sewage treatment plant		20 g/L
Soil		50 mg/kg

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

sodium benzoate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		130 µg/L
Freshwater sediment		1.76 mg/kg
Intermittent release (freshwater)		305 µg/L
Marine water		13 µg/L
Marine water sediment		176 µg/kg
Predators		300 mg/kg
Sewage treatment plant		10 mg/L
Soil		60 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

No specific requirements

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Teal

Odour / Odour threshold

Pleasant

pH

4.5

Density (g/cm³)

1,02

Kinematic viscosity

2000-4000 cP

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2870 mg/kg

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	amide polyglycolic ether
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	amide polyglycolic ether
Species:	Rat
Route of exposure:	Dermal
Test:	LD50

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result:	>2000 mg/kg
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2335 mg/kg
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>620 mg/kg
Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>740 mg/kg
Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>1000 mg/m ³
Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	14391 mg/kg
Product/substance	glycerol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	27200 mg/kg
Product/substance	glycerol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	4655 mg-min/L 7 h ·
Product/substance	glycerol
Species:	Guinea pig
Route of exposure:	Dermal
Test:	LD50
Result:	45 ml/kg ·
Product/substance	propane-1,2-diol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	22000 mg/kg ·
Product/substance	propane-1,2-diol
Species:	Rabbit
Route of exposure:	Inhalation
Test:	LC50
Result:	>317042 mg/m ³ ·
Product/substance	propane-1,2-diol
Species:	Rabbit
Route of exposure:	Dermal

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test: LD50
Result: >2000 mg/kg ·

Product/substance: sodium benzoate
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 3140 mg/kg

Product/substance: sodium benzoate
Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: >12200 mg/m³

Product/substance: sodium benzoate
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: >2000 mg/kg

Skin corrosion/irritation

Product/substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Product/substance: amide polyglycolic ether
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: not reversible

Product/substance: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Product/substance: 2-phenoxyethanol
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Product/substance: glycerol
Test method: no guideline followed
Species: Rabbit
Duration: 24 hours
Result: No adverse effect observed (Not irritating)
Other information: reversible

Product/substance: propane-1,2-diol
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Result: No adverse effect observed (Not irritating)

Product/substance: sodium benzoate
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Serious eye damage/irritation

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	amide polyglycolic ether
Test method:	OECD 405
Species:	Rabbit
Duration:	7 days
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Test method:	OECD 405
Species:	Rabbit
Other information:	reversible
Product/substance	2-phenoxyethanol
Test method:	OECD 405
Species:	Rabbit
Other information:	reversible
Product/substance	glycerol
Test method:	no guideline followed
Species:	Rabbit
Duration:	7 days
Other information:	reversible
Product/substance	propane-1,2-diol
Test method:	OECD 405
Species:	Rabbit
Other information:	reversible
Product/substance	sodium benzoate
Test method:	OECD 405
Species:	Rabbit
Duration:	24 hours
Other information:	reversible

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)
Product/substance	amide polyglycolic ether
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)
Product/substance	2-phenoxyethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Germ cell mutagenicity

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method:	OECD 476
Species:	Mouse
Conclusion:	No adverse effect observed
Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method:	OECD 475
Species:	Mouse
Conclusion:	No adverse effect observed

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance amide polyglycolic ether
 Test method: OECD 473
 Species: Human
 Conclusion: No adverse effect observed

Product/substance amide polyglycolic ether
 Test method: OECD 474
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
 Test method: OECD 476
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
 Test method: OECD 474
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol
 Test method: OECD 474
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol
 Test method: OECD 471
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance glycerol
 Test method: No guideline followed
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Test method: OECD 471
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Test method: OECD 475
 Species: Rat
 Conclusion: No adverse effect observed

Carcinogenicity

Product/substance 2-phenoxyethanol
 Test method: OECD 451
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance glycerol
 Species: Rat
 Test: NOAEL
 Result: 8000 mg/kg bw/day
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Species: Rat
 Test: NOAEL
 Result: >1000 mg/kg
 Conclusion: No adverse effect observed

Reproductive toxicity

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method:	OECD 414
Species:	Rat
Result:	1000 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method:	OECD 416
Species:	Rat
Result:	300 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	amide polyglycolic ether
Test method:	OECD 421
Species:	Rat
Conclusion:	No adverse effect observed
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Test method:	OECD 414
Species:	Rat
Test:	NOEL
Result:	100 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Test method:	OECD 408 - Repeated Dose 90-day Oral Toxicity Study in Rodents
Species:	Rat
Test:	NOEL
Result:	247 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	2-phenoxyethanol
Test method:	OECD 414
Species:	Rat
Test:	NOAEL
Result:	300 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	2-phenoxyethanol
Species:	Mouse
Test:	NOAEL
Result:	375 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	glycerol
Species:	Rat
Conclusion:	No adverse effect observed
Product/substance	sodium benzoate
Species:	Rat
Test:	NOAEL
Result:	500 mg/kg bw/day
Conclusion:	No adverse effect observed
Product/substance	sodium benzoate
Species:	Rat
Test:	NOAEL
Result:	175 mg/kg bw/day
Conclusion:	No adverse effect observed

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	7.1 mg/L

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	7.4 mg/L

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	27.7 mg/L

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	0.95 mg/L

Product/substance	amide polyglycolic ether
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	2.9 mg/L

Product/substance	amide polyglycolic ether
Species:	Fish
Duration:	96 hours
Test:	NOEC
Result:	0.77 mg/L

Product/substance	amide polyglycolic ether
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	9.5 mg/L

Product/substance	amide polyglycolic ether
Species:	Daphnia
Duration:	48 hours
Test:	NOEC
Result:	2.2 mg/L

Product/substance	amide polyglycolic ether
Species:	Algae
Duration:	72 hours

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test:	EC50
Result:	22 mg/L
Product/substance	amide polyglycolic ether
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	3.2 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1.1 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	1.9 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Species:	Algae
Duration:	No data available.
Test:	EC50
Result:	1.5 mg/L
Product/substance	2-phenoxyethanol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	344 mg/L
Product/substance	2-phenoxyethanol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	488 mg/L
Product/substance	2-phenoxyethanol
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	443 mg/L
Product/substance	glycerol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	54000 mg/L
Product/substance	glycerol
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	>10000 mg/L
Product/substance	propane-1,2-diol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	40613 mg/L
Product/substance	propane-1,2-diol
Species:	Daphnia

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration:	48 hours
Test:	EC50
Result:	18340 mg/L

Product/substance	propane-1,2-diol
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	19000 mg/L

Product/substance	sodium benzoate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	484 mg/L

Product/substance	sodium benzoate
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	100 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	0.09 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	EC10
Result:	6.5 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	30.5 mg/L

12.2. Persistence and degradability

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Biodegradable:	Yes

Product/substance	amide polyglycolic ether
Biodegradable:	Yes
Result:	81%

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	91.6

Product/substance	2-phenoxyethanol
Biodegradable:	Yes
Test method:	OECD 301 A
Result:	>90%

Product/substance	glycerol
Biodegradable:	Yes

Product/substance	propane-1,2-diol
Biodegradable:	Yes
Result:	96% (OECD 306)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance sodium benzoate
Biodegradable: Yes

12.3. Bioaccumulative potential

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Potential bioaccumulation: No
LogPow: 0,3000
BCF: No data available.

Product/substance amide polyglycolic ether
Potential bioaccumulation: Yes
LogPow: 5
BCF: No data available.

Product/substance 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...
Potential bioaccumulation: No
LogPow: 4,4400
BCF: 71

Product/substance 2-phenoxyethanol
Potential bioaccumulation: No
LogPow: 1,2000
BCF: 0.35

Product/substance glycerol
Potential bioaccumulation: No
LogPow: -1,7500
BCF: No data available.

Product/substance propane-1,2-diol
Potential bioaccumulation: No
LogPow: -1,0700
BCF: 0.09

Product/substance sodium benzoate
Potential bioaccumulation: No
LogPow: 1,8800
BCF: No data available.

12.4. Mobility in soil

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco ac...

LogKoc = 4.04, Low mobility potential.

2-phenoxyethanol

LogKoc = 1.61, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

16 10 03* Aqueous concentrates containing dangerous substances

Contaminated packing

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

AQUA (SOLVENTS), SODIUM LAURETH SULFATE (SURFACTANTS), PEG-4 RAPESEEDAMIDE (SURFACTANTS), COCAMIDOPROPYL BETAINE (SURFACTANTS), SODIUM CHLORIDE (ADDITIVES), AMMONIUM LAURYL SULFATE (SURFACTANTS), PHENOXYETHANOL (PRESERVATIVES), GLYCERIN (HUMECTANTS), PROPYLENE GLYCOL (SOLVENTS), PEG-7 GLYCERYL COCOATE (EMULSIFYING AGENTS), CITRIC ACID (BUFFERING AGENTS), COCO-GLUCOSIDE (SURFACTANTS), SODIUM BENZOATE (PRESERVATIVES), GLYCOL DISTEARATE (EMOLLIENTS), PARFUM, POTASSIUM SORBATE (PRESERVATIVES), TETRASODIUM IMINODISUCCINATE (CHELATING AGENTS), ACID YELLOW 23/CI 19140 (COSMETIC COLORANTS), ACID BLUE 9/CI 42090 (COSMETIC COLORANTS)

Additional information

Not applicable.

Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU 20 = Health services

LCS "C" = Consumer uses: Private households (= general public = consumers)
PC 39 = Cosmetics, personal care

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

Janie Madsen

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en